

Technical Accessory Guides (TAGs) ZD420D



For Associates, Resellers, ISVs and Alliance Partners

Global



Version: Active Only

Will only show products that are known
to be available for sale

Need to provide an
update or change?
Contact
tb3655@zebra.com



For Internal Use by
PartnerConnect Members Only

Proprietary and Confidential. ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©Zebra Technologies Corp. and/or its affiliates. All rights reserved.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.

Note: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Power Supply, Line Cords, Charging Cables and Power Accessories				
Part Number	Picture	Description	Notes	Required Items
P1079903-026 US/EU		Power Supply 75W, 24V, with US Cord and EU Cord	► Dimensions: 9.05 in. L x 8.26 in. W x 6.49 in. H (23 cm L x 21 cm W x 16.5 cm H) ► Weight: 1.43 lbs. (0.65 kg) ► 75W, 24V ► Compatible Printers: ZD410, ZD420C, ZD420D, ZD420D-HC, ZD420T, ZD620D, ZD620T, GX420D, GX420T, GK888E, GK420E, GX430T, ZD410D, ZD420C, ZD420D, ZD420T, ZD500, ZD500R, ZD620D, ZD620T	
P1079903-030		Healthcare  Power Supply, 75W, 24V with US cord,	► Dimensions: 9.055123 in. L x 8.267721 in. W x 6.496067 in. H 23 cm L x 21 cm W x 16.5 cm H ► Weight: 1.43 lbs. (0.65 kg) ► Compatible Printers: ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T-HC, ZD620D-HC, ZD620T-HC, ZD410D, ZD420C, ZD420D, ZD420T, ZD620D, ZD620T, GK420, HC100, ZD510-HC	
105950-014 US 105950-015 EU 105950-029 AU 105950-030 UK 105950-078 CH 105950-079 JP P1033401 BR P1061022-020 IL P1080829 IN P1079903-035 TW		AC Power Cable (Set of 5)	► Weight: 2.60 lbs. (1.18 kg) ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D=HD, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
P1080383-430		Attached Power Supply 75W	► Attached Power Supply Kits ► Weight: 1.96 lbs. / 0.89 kg ► Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD621D, ZD620D-HC, ZD621D-HC	AC Power Cable 105950-014 US or other region specific cable

USB and Serial Cables for Communication				
Part Number	Picture	Description	Notes	Required Items
105850-006		USB Interface Cable, 6FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 6ft / 1.82 m ▶ Weight: 0.16 lbs. / 0.0742 kg ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD410d-HC, ZD510-HC, ZD500R, ZD500	
G105850-007		USB Interface Cable, 10FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 10ft / 3.05 m ▶ Weight: 0.40 lbs. / 0.182 kg ▶ Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD510-HC, ZD500R, ZD500	
G105950-054		Kit Serial Interface Cable, 6FT (DB-9 to DB-9) Null Modem	▶ Serial DB-9 to Serial DB-9 ▶ Length: 6ft / 1.82 m ▶ Weight: 0.46 lbs. / 0.21 kg ▶ Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R	
105850-026		Serial Port Adapter	▶ Serial Port Converter ▶ Weight: 0.26 lbs. / 0.12 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500R, ZD500	

Connectivity Module				
Part Number	Picture	Description	Notes	Required Items
P1080383-443		Field Upgrade Serial Module	► Field Upgradeable Serial Module ► Kit includes: four bezel sizes and the user chooses the correct size for their printer ► You cannot get the serial module pre-installed with your printer at purchase ► Weight: 0.64 lbs. / 0.29 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC	
P1080383-442		Ethernet Module	► Ethernet Module Field Upgrade Kit ► You can get the ethernet module pre-installed with your printer at purchase ► Kit includes: three bezel sizes and the user chooses the correct size for their printer ► Important: This is not compatible with the ZD421 printers ► Weight: 0.33 lbs. / 0.15 kg ► Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC	

CONFIDENTIAL

Media Handling (Cutters and Peeler (Dispenser))				
Part Number	Picture	Description	Notes	Required Items
P1080383-417		Cutter	▶ Cutter for Direct Thermal ZD420 and ZD620 standard and Healthcare printers. ▶ This is a different form factor than the Thermal Transfer and Cartridge printers ▶ Kit includes: Torx T10 and two needed screws for installation ▶ Important: You can get the cutter pre-installed with the ZD620 printer at purchase (not pre-installed with the ZD420) ▶ Weight: 1.47 lbs. / 0.67 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	
P1080383-418		Peeler (Dispenser)	▶ Peeler (Dispenser) for Direct Thermal ZD420 and ZD620 standard and Healthcare printers. ▶ Kit includes: Torx T10 and two needed screws for installation ▶ Important: You can get the peeler (dispenser) pre-installed with the ZD620 printer at purchase (not pre-installed with the ZD420) ▶ Weight: 0.73 lbs. / 0.33 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	
Routine Maintenance				
Part Number	Picture	Description	Notes	Required Items
105950-035		Printhead Cleaning Pens (12)	▶ Cleaning Pens for cleaning Printheads ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ 99.7% Isopropyl Alcohol (IPA) ▶ Qty 12 ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R	

Media Core				
Part Number	Picture	Description	Notes	Required Items
P1079903-033		Media Core Adaptors for 1.5, 2" & 3" Diameter Media Cores (set of 2 each)	▶ Direct Thermal Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores (set of 2 each) ▶ Not Compatible with Thermal Transfer or Cartridge Printers ▶ Kit includes: a left and right media adapter for each size, a Torx T10 and 12 screws for installation ▶ Compatible Printers: ZD410, ZD410D-HC, ZD420D, ZD420D-HC, ZD421D, ZD421D-HC, ZD620D, ZD621D	



ZEBRA

CONFIDENTIAL

Printhead Conversion Kits				
Part Number	Picture	Description	Notes	Required Items
P1080383-421		Direct Thermal Printhead Upgrade Kit, Convert to 300dpi	▶ Printhead Field Upgrade Kit for ZD420 and ZD620 Direct Thermal Printers ▶ This is to upgrade the printer's resolution from 203dpi to 300dpi ▶ Kit includes: 300dpi Direct Thermal Printhead, platen roller, and two platen bearings (one left and one right) ▶ Weight: 0.46 lbs. / 0.21 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	203dpi ZD420D or ZD620D Printer
P1080383-422		Direct Thermal Printhead Downgrade Kit, Convert to 203dpi	▶ Printhead Downgrade Kit for ZD420 and ZD620 Direct Thermal Printers ▶ This is to downgrade the printer's resolution from 300dpi to 203dpi ▶ Kit includes: 203dpi Direct Thermal Printhead, platen roller, and two platen bearings (one left and one right) ▶ Weight: 0.46 lbs. / 0.21 kg ▶ Compatible Printers: ZD420D, ZD420D-HC	300dpi ZD420D Printer
Printheads				
Part Number	Picture	Description	Notes	Required Items
P1080383-415		Direct Thermal Printhead 203dpi	▶ Direct Thermal Printheads ▶ Weight: 0.34 lbs. / 0.155 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	
P1080383-416		Direct Thermal Printhead, 300dpi	▶ 300dpi Direct Thermal Printhead for ZD420 and ZD620 ▶ Weight: 0.34 lbs. / 0.156 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	

Platen Rollers and Platen Roller Bearings				
Part Number	Picture	Description	Notes	Required Items
P1080383-413		203dpi Platen Roller	▶ Direct Thermal Platen Rollers ▶ Kit includes: Platen Roller and a right and left bearing ▶ Weight: 0.31 lbs. / 0.14 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC	
P1080383-224		Platen Bearings (10 Pack)	▶ Platen Bearings (10 right and 10 left) ▶ Kit, Bearings for the Platen Roller (Left and Right 10 of each) ▶ Qty 10 x right bearing, 10 x left bearing ▶ Weight: 0.18 lbs. / 0.081 kg ▶ Compatible Printers: ZD220, ZD420D, ZD420T, ZD421D, ZD421T, ZD620D, ZD620T, ZD621D, ZD621T, ZD621R, ZD888	
Mounting Accessories				
Part Number	Picture	Description	Notes	Required Items
P1080383-423		Adapter bracket	▶ To enable mounting a ZD420/620D in the same location as an existing GK/GX DT is currently mounted. Allows usage of the GK/GX DT hole pattern to mount a ZD420D/620D ▶ Dimensions: 8 in. L x 7.5 in. W x 1.6 in. H (20.32 cm L x 19.05 cm W x 4.06 cm H) ▶ Weight: 1.00 lbs. / 0.454 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC	

Keyboards				
Part Number	Picture	Description	Notes	Required Items
ZKDU-001-00		ZKDU ZPL/EPL Keyboard	► Dimensions: 9.05 in. L x 8.46 in. W x 4.52 in. H (23 cm L x 21.5 cm W x 11.5 cm H) ► Weight: 1.30 lbs. / 0.59 kg ► Compatible Printers: ZD410, ZD410-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R	
Carrying Cases				
Part Number	Picture	Description	Notes	Required Items
SG-DM-CASE1-01		Direct Thermal Desktop Printer Carrying Case	► Direct Thermal Soft Carrying Case, ZD42X/ZD62X printer with battery attachment ► Includes Shoulder Strap, TC5x Sized Holster Pocket ► Dimensions: 9.92 in. L x 7.71 in. W x 9.17 in. H 25.2 cm L x 19.6 cm W x 23.3 cm H ► Weight: 2.22 lbs. / 1.00 kg ► Compatible Printers: ZD420D, ZD620D, ZD421D, ZD621D, ZD420D-HC, ZD620D-HC, ZD421D-HC, ZD621D-HC,	
Batteries				
Part Number	Picture	Description	Notes	Required Items
P1080383-603		Battery	► Batteries ► Dimensions: 8.46 in. L x 4.13 in. W x 3.62 in. H 21.5 cm L x 10.5 cm W x 9.2 cm H ► Weight: 2.42 lbs. / 1.1 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD421C, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621R	
P1080383-601		Base Housing for Battery	► Battery Bases ► Dimensions: 9.842525 in. L x 7.480319 in. W x 2.755907 in. H 25 cm L x 19 cm W x 7 cm H ► Weight: 0.99 lbs. / 0.45 kg ► Compatible Printers: ZD420D, ZD420D-HC, ZD620D, ZD620D-HC, ZD421D, ZD621D, ZD421D-HC, ZD621D-HC	

