

Technical Accessory Guides (TAGs) ZD621T



For Associates, Resellers, ISVs and Alliance Partners
Global



Version: Active Only

Will only show products that are known
to be available for sale

Need to provide an
update or change?
Contact
tb3655@zebra.com



For Internal Use by
PartnerConnect Members Only

Proprietary and Confidential. ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©Zebra Technologies Corp. and/or its affiliates. All rights reserved.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.

Note: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Power Supply, Line Cords, Charging Cables and Power Accessories				
Part Number	Picture	Description	Notes	Required Items
P1079903-026 US/EU		Power Supply 75W, 24V, with US Cord and EU Cord	► Dimensions: 9.05 in. L x 8.26 in. W x 6.49 in. H (23 cm L x 21 cm W x 16.5 cm H) ► Weight: 1.43 lbs. (0.65 kg) ► 75W, 24V ► Compatible Printers: ZD410, ZD420C, ZD420D, ZD420D-HC, ZD420T, ZD620D, ZD620T, GX420D, GX420T, GK888E, GK420E, GX430T, ZD410D, ZD420C, ZD420D, ZD420T, ZD500, ZD500R, ZD620D, ZD620T, ZD411, ZD421C, ZD421D, ZD421T, ZD621D, ZD621T	
P1079903-030		Healthcare  Power Supply, 75W, 24V with US cord,	► Dimensions: 9.055123 in. L x 8.267721 in. W x 6.496067 in. H 23 cm L x 21 cm W x 16.5 cm H ► Weight: 1.43 lbs. (0.65 kg) ► Compatible Printers: ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T-HC, ZD620D-HC, ZD620T-HC, ZD410D, ZD420C, ZD420D, ZD420T, ZD620D, ZD620T, GK420, HC100, ZD510-HC, ZD411, ZD421C, ZD421D, ZD421T, ZD621D, ZD621T	
105950-014 US 105950-015 EU 105950-029 AU 105950-030 UK 105950-078 CH 105950-079 JP P1033401 BR P1061022-020 IL P1080829 IN P1079903-035 TW		AC Power Cable (Set of 5)	► Weight: 2.60 lbs. (1.18 kg) ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
P1080383-234		Attached Power Supply 75W	► Attached Power Supply Kits ► Dimensions: 11.81 in. L x 9.05 in. W x 2.36 in. H (30 cm L x 23 cm W x 6 cm H) ► Weight: 2.07 lbs. / 0.941 kg ► Compatible Printers: ZD420T ZD620T, ZD621T, ZD621R, ZD421C, ZD420T-HC ZD620T-HC, ZD621T-HC, ZD421C-HC	AC Power Cable 105950-014 US or other region specific cable

USB Cables for Communication				
Part Number	Picture	Description	Notes	Required Items
105850-006		USB Interface Cable, 6FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 6ft / 1.82 m ▶ Weight: 0.16 lbs. / 0.0742 kg ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD410d-HC, ZD510-HC, ZD500R, ZD500, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
G105850-007		USB Interface Cable, 10FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 10ft / 3.05 m ▶ Weight: 0.40 lbs. / 0.182 kg ▶ Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD510-HC, ZD500R, ZD500, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
Connectivity Module				
Part Number	Picture	Description	Notes	Required Items
P1112640-239A USA and Canada P1112640-239B Japan Only P1112640-239C Rest of World		Wireless Module, WiFi 802.11ac, MFI 3.0, Bluetooth 4.1	▶ Wireless field upgradeable module ▶ The door is already part of the printer, hence there is no door included with this module ▶ You can get the wireless module pre-installed with your printer at purchase ▶ Supports Dual Radio with 802.11ac + Bluetooth Classic 4.1 and Apple MFI 3.0 certified ▶ Weight: 0.55 lbs. / 0.25 kg ▶ Important: This is <u>not backwards compatible</u> with the ZD420 or ZD620 series ▶ Compatible Printers: ZD621T, ZD421C, ZD621R	

Media Handling (Cutters and Peeler (Dispenser))				
Part Number	Picture	Description	Notes	Required Items
P1112640-233		Peeler (Dispenser)	▶ Peeler (Dispenser) for ZD421C, ZD621T, ZD621R Standard and Healthcare printers. ▶ Kit includes: Peeler, Torx T10, and extra screws for installation ▶ Important: This is <u>not backwards compatible</u> with the ZD620 ▶ Weight: 0.73 lbs. / 0.334 kg ▶ Compatible Printers: ZD621T, ZD621R, ZD421C	
P1112640-232		Cutter	▶ Cutter for ZD621 standard and Healthcare Thermal Transfer and RFID printers ▶ Kit includes: Cutter, Torx T10 and extra screws for installation ▶ Important: This is <u>not backwards compatible</u> with the ZD620 ▶ Weight: 1.54 lbs. / 0.7 kg ▶ Compatible Printers: ZD621T, ZD621R	
Routine Maintenance				
Part Number	Picture	Description	Notes	Required Items
47362		6 Presaturated Foam Tip Swabs) for Preventative Maintenance	▶ Presaturated Foam Tip Swabs ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ 99.7% Isopropyl Alcohol (IPA) ▶ Qty 6 ▶ Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620T, ZD620T-HC, ZD510-HC, ZD500R, ZD500, ZD411, ZD421C, ZD421D, ZD421T, ZD621D, ZD621T	
105950-035		Printhead Cleaning Pens (12)	▶ Cleaning Pens for cleaning Printheads ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ 99.7% Isopropyl Alcohol (IPA) ▶ Qty 12 ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD411, ZD421C, ZD421D, ZD421T, ZD621D, ZD621T	

P1112640-250		203dpi Routine Maintenance Kit	▶ Kit includes: 203dpi Printhead (P1112640-240), 203dpi Platen Roller (P1112640-251), & Preventative Maintenance Kit (47362) which includes 6 Presaturated Foam Tip Swabs ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ Swabs are 99.7% Isopropyl Alcohol ▶ Compatible Printers: ZD621T, ZD621R	
--------------	--	--------------------------------	---	--

Media Core

Part Number	Picture	Description	Notes	Required Items
P1080383-022		Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores, (set of 2 each)	▶ Thermal Transfer and Cartridge Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores (set of 2 each) ▶ Not Compatible with Direct Thermal Printers ▶ Kit includes: a left and right media adapter for each size, a Torx T10 and 6 screws for installation ▶ Weight: 0.66 lbs. / 0.3 kg ▶ Compatible Printers: ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620T, ZD620T-HC, ZD621T, ZD621R, ZD421C	

Printheads

Part Number	Picture	Description	Notes	Required Items
P1112640-240		Thermal Transfer Printhead, 203dpi	▶ <i>This printhead is included in Routine Maintenance Kit P1112640-250. It is highly recommended that you replace the platen roller and printhead at the same time. Consider purchasing the Routine Maintenance kit instead.</i> ▶ 203dpi Thermal Transfer Printhead for ZD621 and ZD621 RFID Printers ▶ Weight: 0.28 lbs. / 0.13 kg ▶ Compatible Printers: ZD621T, ZD621R	
P1112640-241		Thermal Transfer Printhead, 300dpi	▶ 300dpi Thermal Transfer Printhead for ZD621 and ZD621 RFID Printers ▶ Weight: 0.50 lbs. / 0.227 kg ▶ Compatible Printers: ZD621T, ZD621R	

Platen Rollers and Platen Roller Bearings				
Part Number	Picture	Description	Notes	Required Items
P1112640-251		203dpi Platen Roller	► This platen roller is included in Routine Maintenance Kit P1112640-250. It is highly recommended that you replace the platen roller and printhead at the same time. Consider purchasing the Routine Maintenance kit instead. ► Kit includes: Platen Roller and bearings (one left and one right) ► Weight: 0.32 lbs. / 0.143 kg ► Compatible Printers: ZD621T, ZD621R	
P1112640-252		300dpi Platen Roller	► Kit includes: Platen Roller and bearings (one left and one right) ► Weight: 0.32 lbs. / 0.143 kg ► Compatible Printers: ZD621T, ZD621R	
P1080383-224		Platen Bearings (10 Pack)	► Platen Bearings (10 right and 10 left) ► Kit, Bearings for the Platen Roller (Left and Right 10 of each) ► Qty 10 x right bearing, 10 x left bearing ► Weight: 0.18 lbs. / 0.081 kg ► Compatible Printers: ZD220, ZD420D, ZD420T, ZD421D, ZD421T, ZD620D, ZD620T, ZD621D, ZD621T, ZD621R, ZD888	
Mounting Accessories				
Part Number	Picture	Description	Notes	Required Items
P1080383-037		Adapter Bracket	► Kit, Adapter bracket enables mounting a ZD421C, ZD421T, ZD621T, and ZD621R in the same location as an existing GK/GX TT is currently mounted. Allows usage of the GK/GX TT hole pattern to mount a ZD421C, ZD421T, ZD621T, ZD621R ► Dimensions: 11.61 in. L x 9.05 in. W x 2.36 in. H (29.5 cm L x 23 cm W x 6 cm H) ► Weight: 1.32 lbs. / 0.6 kg ► Compatible Printers: ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620T, ZD411D, ZD421C, ZD421D, ZD421T, ZD621D, ZD621T	

Third Party Mounting Accessories				
Part Number	Picture	Description	Notes	Required Items
215947 ProClip (Third Party)		ProClip® Thermal Transfer Printer Mount Kit	► Includes quick release Speed Clip for easy removal from mounting surface ► Pre-drilled holes for AMPS hole patterns ► Designed and Manufactured in Sweden ► Dimensions: 9.84 (L) x 5.51 (W) x 1.77 (H) (25 cm L x 14 cm W x 4.3 cm H) ► Weight: 1.415 lbs. / 0.64 kg ► Compatible Printers: ZD420T, ZD420T-HC, ZD421T, ZD421T-HC, ZD620T, ZD620T-HC, ZD621T, ZD621T-HC	
https://www.proclipusa.com/collections/zebra-printers				
Carrying Cases				
Part Number	Picture	Description	Notes	Required Items
SG-DM-CASE2-01		Thermal Transfer Desktop Printer Carrying Case	► Thermal Transfer Soft Carrying Case, ZD42X/ZD62X printer with battery attachment. Larger carrying case than the Direct Thermal to support ribbon rolls. ► Includes Shoulder Strap, TC5x Sized Holster Pocket ► Dimensions: 11.77 in. L x 8.62 in. W x 11.61 in. H 29.9 cm L x 21.9 cm W x 29.5 cm H ► Weight: 2.57 lbs. / 1.16 kg ► Compatible Printers: ZD421T, ZD420T, ZD620T, ZD621T, ZD420C, ZD421C, ZD621R, ZD421T-HC, ZD420T-HC, ZD620T-HC, ZD621T-HC, ZD421C-HC	

Batteries				
Part Number	Picture	Description	Notes	Required Items
P1080383-603		Battery	► Dimensions: 8.46 in. L x 4.13 in. W x 3.62 in. H 21.5 cm L x 10.5 cm W x 9.2 cm H ► Weight: 2.42 lbs. / 1.1 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD421C, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621R	
P1080383-600		Base Housing for Battery	► Battery Bases ► Dimensions: 11.02 in. L x 7.48 in. W x 2.75 in. H 28 cm L x 19 cm W x 7 cm H ► Weight: 1.14 lbs. / 0.52 kg ► Compatible Printers: ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620T, ZD620T-HC, ZD421C, ZD421C-HC, ZD621R, ZD621T	

 **ZEBRA**
CONFIDENTIAL