

Technical Accessory Guides (TAGs) ZD411D



For Associates, Resellers, ISVs and Alliance Partners
Global



Version: Active Only

Will only show products that are known
to be available for sale

Need to provide an
update or change?
Contact
tb3655@zebra.com



For Internal Use by
PartnerConnect Members Only

Proprietary and Confidential. ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©Zebra Technologies Corp. and/or its affiliates. All rights reserved.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.

Note: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.


Power Supply, Line Cords, Charging Cables and Power Accessories

Part Number	Picture	Description	Notes	Required Items
P1079903-026 US/EU		Power Supply 75W, 24V, with US Cord and EU Cord	► Dimensions: 9.05 in. L x 8.26 in. W x 6.49 in. H (23 cm L x 21 cm W x 16.5 cm H) ► Weight: 1.43 lbs. (0.65 kg) ► 75W, 24V ► Compatible Printers: ZD410, ZD420C, ZD420D, ZD420D-HC, ZD420T, ZD620D, ZD620T, GX420D, GX420T, GK888E, GK420E, GX430T, ZD410D, ZD420C, ZD420D, ZD420T, ZD500, ZD500R, ZD620D, ZD620T, ZD411D	
P1117258-012		Power Supply Kit, 50W, 24V	► Includes: Adapter, US and EU AC Line Cords '► Dimensions: 8.27 in. L x 6.29 in. W x 4.41 in. H (21 cm L x 16 cm W x 11.2 cm H) ► Weight: 2.20 lbs. (1 kg) ► Compatible Printers: ZD411D, ZD611D, ZD411T, ZD611T, ZD611R	
P1079903-030		Healthcare  Power Supply Kit, 75W, 24V with US cord,	► Dimensions: 9 in. L x 8 in. W x 6.5 in. H 23 cm L x 21 cm W x 16.5 cm H ► Includes US AC Line Cord ► Weight: 1.43 lbs. (0.65 kg) ► Compatible Printers: ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T-HC, ZD620D-HC, ZD620T-HC, ZD410D, ZD420C, ZD420D, ZD420T, ZD620D, ZD620T, GK420, HC100, ZD510-HC, ZD411D, ZD411T, ZD611D, ZD611T, ZD611R	
105950-014 US 105950-015 EU 105950-029 AU 105950-030 UK 105950-078 CH 105950-079 JP P1033401 BR P1061022-020 IL P1080829 IN P1079903-035 TW		AC Power Cable (Set of 5)	► AC Line Cords ► Qty: 5 ► Weight: 2.60 lbs. (1.18 kg) ► Compatible Printers: ZD410, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HD, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC, ZD411D, ZD411T, ZD611D, ZD611T, ZD611R	

USB and Serial Cables for Communication

Part Number	Picture	Description	Notes	Required Items
105850-006		USB Interface Cable, 6FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 6ft / 1.82 m ▶ Weight: 0.16 lbs. / 0.0742 kg ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD410d-HC, ZD510-HC, ZD500R, ZD500, ZD611T, ZD611D, ZD411D, ZD411T, ZD611R	
G105850-007		USB Interface Cable, 10FT (A to B)	▶ USB-A to USB-B Cable ▶ Length: 10ft / 3.05 m ▶ Weight: 0.40 lbs. / 0.182 kg ▶ Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD410d-HC, ZD510-HC, ZD500R, ZD500, ZD611T, ZD611D, ZD411D, ZD411T, ZD611R	
G105950-054		Kit Serial Interface Cable, 6FT (DB-9 to DB-9) Null Modem	▶ Serial DB-9 to Serial DB-9 ▶ Length: 6ft / 1.82 m ▶ Weight: 0.46 lbs. / 0.21 kg ▶ Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620, ZD500, ZD500R, ZD411D, ZD411D-HC	
105850-026		Serial Port Adapter	▶ Serial Port Converter ▶ Weight: 0.26 lbs. / 0.12 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500R, ZD500, ZD411D	

Connectivity Module

Part Number	Picture	Description	Notes	Required Items
P1112640-017A US & Canada P1112640-017B Japan Only P1112640-017C Rest of World		Wireless Module, WiFi 802.11ac, MFI 3.0, Bluetooth 4.1	▶ Wireless field upgradeable module ▶ You can get the wireless module pre-installed with your printer at purchase ▶ The door is already part of the printer, hence there is no door included with this module ▶ Dual Radio with 802.11ac and Bluetooth Classic 4.1. ▶ Apple MFI 3.0 certified ▶ Weight: 0.33 lbs. / 0.15 kg ▶ Important: This is not backwards compatible with the ZD410 or TLP series ▶ Compatible Printers: ZD421D, ZD621D, ZD421T, ZD411D, ZD411D-HC, ZD411T, ZD611D, ZD611D-HC	
P1112640-016		Serial Module	▶ Field Upgradeable Serial Module Kit ▶ You cannot get the serial module pre-installed with your printer at purchase. ▶ Weight: 0.33 lbs. / 0.15 kg ▶ Important: This is not backwards compatible with the ZD410 or TLP Printers ▶ Compatible Printers: ZD421D, ZD421T, ZD421C, ZD611D, ZD611D-HC, ZD411T, ZD411D, ZD411D-HC	
P1112640-015		Ethernet Module	▶ Field Upgradeable Ethernet Module ▶ You can get the ethernet module pre-installed with your printer at purchase ▶ Weight: 0.31 lbs. / 0.139 kg ▶ Important: This is not backwards compatible with ZD410 or TLP Printers ▶ Compatible Printers: ZD421D, ZD421T, ZD421C, ZD411D, ZD411T, ZD411D-HC, ZD611D, ZD611D-HC, ZD611T, ZD611R	

Media Handling (Cutters and Peeler (Dispenser))

Part Number	Picture	Description	Notes	Required Items
P1117258-030		Dispenser (Peeler)	▶ Dispenser (Peeler) for ZD411D and ZD611D, ZD611D-HC for media with liner ▶ Kit includes: Peeler, Torx T10, and extra screws for installation ▶ Weight: 0.55 lbs. / 0.25 kg ▶ Compatible Printers: ZD411D, ZD4121-HC, ZD611D, ZD611D-HC	
P1117258-031		Cutter	▶ Cutter for ZD411 and ZD611 standard and Healthcare direct thermal printers ▶ You can get the cutter pre-installed with the ZD611 printer at purchase, but not pre-installed with the ZD411 ▶ Kit includes: Cutter, Torx T10 and extra screws for installation ▶ Important: This is not backwards compatible with the ZD410 or TLP printers ▶ Weight: 1.1 lbs. / 0.5 kg ▶ Compatible Printers: ZD411D, ZD411D-HC, ZD611D, ZD611D-HC	

Routine Maintenance

Part Number	Picture	Description	Notes	Required Items
47362		6 Presaturated Foam Tip Swabs) for Preventative Maintenance	▶ Presaturated Foam Tip Swabs ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ 99.7% Isopropyl Alcohol (IPA) ▶ Qty 6 ▶ Compatible Printers: ZD611D, ZD611T, ZD411D, ZD411T, ZD611D-HC, ZD611T-HC, ZD411D-HC, ZD411T-HC, ZD611R	
105950-035		Printhead Cleaning Pens (12)	▶ Cleaning Pens for cleaning Printheads ▶ Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ▶ 99.7% Isopropyl Alcohol (IPA) ▶ Qty 12 ▶ Compatible Printers: ZD611D, ZD611T, ZD411D, ZD411T, ZD611D-HC, ZD611T-HC, ZD411D-HC, ZD411T-HC, ZD611R	

Media Core				
Part Number	Picture	Description	Notes	Required Items
P1112640-054		Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores, (set of 2 each)	► Thermal Transfer, Thermal Cartridge, and Direct Thermal Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores (set of 2 each) ► Kit includes: a left and right media adapter for each size, a Torx T10 and 6 screws for installation ► Weight: 0.66 lbs. / 0.3 kg ► Compatible Printers: ZD411D, ZD411T, ZD611D, ZD611T, ZD611R, ZD611C, ZD421D, ZD421T, ZD621D, ZD621T, ZD621R	
Printheads				
Part Number	Picture	Description	Notes	Required Items
P1117258-036		Direct Thermal Printhead, 203dpi	► 203dpi Direct Thermal Printhead ► Weight: 0.34 lbs. / 0.155 kg ► Compatible Printers: ZD411, ZD411D-HC, ZD611D, ZD611D-HC	
P1117258-037		Direct Thermal Printhead, 300dpi	► 300dpi Direct Thermal Printhead for Standard and Healthcare ZD411 and ZD611 printers ► Weight: 0.28 lbs. / 0.13 kg ► Compatible Printers: ZD411, ZD411D-HC, ZD611D, ZD611D-HC	
Platen Rollers and Platen Roller Bearings				
Part Number	Picture	Description	Notes	Required Items
P1079903-003		Platen Roller	► Direct Thermal Platen Roller ► Kit includes: Platen Roller and a right and left bearing ► Compatible with both 203dpi and 300dpi printheads ► Weight: 0.07 lbs. / 0.03 kg ► Compatible Printers: ZD411D, ZD410	
P1079903-014		Platen Bearings (10 Pack)	► Platen Bearings (10 left and 10 right) ► Qty: 10 sets of right and left (20 total bearings) ► Weight: 0.10 lbs. / 0.046 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD411D, ZD611D	

Mounting Accessories

Part Number	Picture	Description	Notes	Required Items
P1079903-037		Direct Thermal Mounting Adapter Bracket	► Dimensions: 7.99 in. L x 7.99 in. W x 1.61 in. H (20.3 cm L x 20.3 cm W x 4.1 cm H) ► Weight: 2.20 lbs / 1 kg ► Adapter bracket to enable mounting a ZD411 in the same location as an existing LP2824 Plus or ZD410 is currently mounted. Allows usage of the LP2824 Plus hole pattern to mount a Direct Thermal ZD410, ZD411 or ZD611 ► Compatible Printers: ZD411D, ZD611D	



Third Party Mounting Accessories

Part Number	Picture	Description	Notes	Required Items
241329 (Third Party)		ProClip® Printer Mount with Quick Release Dock (White Acetal)	► Includes quick release dock for easy removal from mounting surface ► Pre-drilled holes for AMPS hole patterns ► Designed and Manufactured in Sweden ► Dimensions: 7.5" (L) x 4.87" (W) x 2.13" (H) (19.05 cm L x 12.36 cm W x 5.41 cm H) ► Weight: 1.25 lbs. / 0.56 kg ► Compatible Printers: ZD410, ZD410-HC, ZD411D, ZD411D-HC, ZD611D, ZD611D-HC ► Printer NOT included	
www.proclipusa.com/collections/zebra				
246707 (Third Party)		ProClip® Printer Mount with Quick Release Dock (Black ABS)	► Includes quick release dock for easy removal from mounting surface ► Pre-drilled holes for AMPS hole patterns ► Designed and Manufactured in Sweden ► Dimensions: 7.5" (L) x 4.87" (W) x 2.13" (H) (19.05 cm L x 12.36 cm W x 5.41 cm H) ► Weight: 1.00 lbs. / 0.56 kg ► Compatible Printers: ZD410, ZD410-HC, ZD411D, ZD411D-HC, ZD611D, ZD611D-HC ► Printer NOT included	
www.proclipusa.com/collections/zebra				

Batteries

Part Number	Picture	Description	Notes	Required Items
P1080383-603		Battery	► Battery ► Dimensions: 8.46 in. L x 4.13 in. W x 3.62 in. H (21.5 cm L x 10.5 cm W x 9.2 cm H) ► Weight: 2.42 lbs. / 1.1 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD421C, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621R, ZD611D, ZD611D-HC, ZD411D, ZD411T, ZD611D, ZD611T, ZD611R	
P1080383-602		Base Housing for Battery	► Battery Bases ► Dimensions: 9.84 in. L x 5.11 in. W x 2.75 in. H (25 cm L x 13 cm W x 7 cm H) ► Weight: 0.74 lbs. / 0.34 kg ► Compatible Printers: ZD410, ZD611D, ZD611D-HC, ZD411D, ZD411D-HC	